

Referências:

- 1- BATES, DW, BLACK, DM, CUMMINGS SR. Clinical use of bone densitometry, clinical applications. **JAMA**,2002; 288: 1898-1900.
- 2- BONNICK SL. Bone densitometry techniques in modern medicine – osteoporosis: diagnostic and therapeutic principles. **Ioowa**,1996; 89-112,1996.
- 3- BROWN, JP; JOSSE RG et al. 2002 Clinical Practice Guidelines for the diagnosis and management of osteoporosis in Canada; **Canadian Medical Association**,2002;167, S1 – S26 p, November 2002.
- 4- CADARETTE, SM; JAGLAL SB; MURRAY T et al. Evaluation of decision rules for refering women for bone densitometry by dual-energy x-ray absorptiometry, **JAMA**, 2001;286 (1): 57-63.
- 5- CENTER JR; NGUYEN, TV; EISMAN, J.A. Volumetric femoral neck bone density as a single measure of hip fracture risk in men and women, **J. Bone Miner. Res**,2002;17 (suppl 1): S146 – S154.
- 6- CHAIR, U.S. Screening for osteoporosis in postmenopausal women. **Ann. Intern. Med.**,2002; 137: 529-41.
- 7- CHANG, K.P; CENTER, J.R; NGUYEN, T.V; EISMAN, J.A. Long-term prediction of fracture incidence in elderly men and women. **J. Bone Miner. Res.**,2002;17 (suppl 1): S355 – S367
- 8- CUMMINGS, S.R. et al. Bone density at various site for prediction of hip fractures. **Lancet**,1999;5:72.
- 9- CUMMINGS, S.R; MELTON, L.J. Epidemiology and outcomes of osteoporosis fractures; **Lancet**,2002; 359: 1761 – 67.
- 10- EDDY, D; JOHNSTON, C; CUMMINGS, S.R. et al. New considerations in the selection of current therapies to prevent and treat osteoporosis, **Osteoporos Int.**; 8 (suppl 4): S7 – S8; 1998.
- 11- ENSRUD, KE. et al. Intentional weigh loss increase bone loss and hip fracture risk in older women, **J. Am. Geriatr. Soc.**, 2003;51 (12): 1740-47.
- 12- GALLAGHER, TC; GELING, O; COMITE, F. Missed opportunities for prevention of osteoporotic fracture; **Arch. Intern. Med.**,2002; 162: 450 – 456.
- 13- HEANEY, R.P. Thinking straight about calcium. **NEJM**,2001;4: 503-8.
- 14- HUDA, W; MORIN, RL. Patient doses in bone mineral densitometry; **Br. J. Radiol**;1996; 69: 422 – 425.
- 15- IQBAL, M.M. Osteoporosis epidemiology, diagnosis, and treatment; **South Med. J**;2000; 93 (1): S2 – S18.
- 16- JOSSE, R. Clinical practice guidelines for the diagnosis and management of osteoporosis. **Canadian Medical Association Journal**,2001;1: 1113-33.
- 17- LANE, J.M.; NYDICK M. Osteoporosis: current modes of prevention and treatment. **JAAOS**,1999;7:1931-55
- 18- LEWIN, S. et al. Densidade mineral óssea vertebral e femoral de 724 mulheres normais brasileiras, **Revista da Associação Médica Brasileira**,1997;43:127-136
- 19- LINHARES, E.T. Estudo comparativo das características de indivíduos portadores de osteoporose institucionalizados e residentes na comunidade, tese doutorado Pontifícia **Universidade Católica do Rio Grande do Sul**, 2003.
- 20- LOOKER, A.C.; BECK, T.J. Maternal history of osteoporosis is related to femur bone density and geometry in men and women. **J. Bone Miner. Res.**,2002; 17 (suppl 1): S174 – S185.
- 21- NICKOLS, S.M. et al. Longitudinal bone mineral density changes in female child artistic gymnasts. **J Bone Miner Res**, 1999;14:690-99.
- 22- PAIVA, L.C. et al. Prevalência de osteoporose em mulheres na pós-menopausa associada com fatores clínicos e reprodutivos. **Rev Bras Ginec Obst**, 2003;25:507-12.
- 23- RUBIN, S.M. et al. Results of bone densitometry affect women's decision about taking measures to prevent fractures. **Ann. Intern. Med.**, 1992; 116: 990-5.
- 24- RULIN, L.A. ; HAWKER, G.A.; PELTEKOVA, V.O. Determinants of peak bone mass: clinical and genetic analysis in a young female. **J Bone Miner Res**, 1999;14:633-43.
- 25- SKARE, T.L. Osteoporose: hábitos e qualidade de vida; **Endocrinol. Diabetes clín. exp.**;2002; 2: 15 – 18.
- 26- TIERNEY, McPHEE, PAPADAKIS. **Current Medical – Diagnosis & Treatment**; 41ª ed; ed McGraw Hill; New York; 2003.
- 27- UITTERLINDEN, A.G. et al. Relation of bone density to risk of osteoporotic fracture in post menopausal women. **NEJM**,1999; 2:1016-21.
- 28- VILAR, L. et al. **Endocrinologia Clínica**, 2ª ed, ed MEDSI, Rio de Janeiro – RJ, pp 799 – 825, 2001.
- 29- WHOLLEY, M.A. Depression, fall and risk of fracture in old women. **Arch Intern Med**,2000;1:484-90.
- 30- KRALL, E.A. Smoking increases bone loss and decreases calcium absorption. **J Bone Miner Res**,2000;14:215-20.

Recebido em 05-04-2004

Revisado em 26-04-2004

Aceito em 30-04-2004